

Reliable A3 performance

When reliable performance matters, Ricoh has the answers. Ricoh's A3 multifunctional printers, the M 2700 and M 2701, are versatile, easy-to-use and utterly dependable.

One-stop document solution

- Print, copy and scan
- A6 to A3 paper formats
- ID card copy feature
- Colour scan to email

The M 2700 and M 2701 offer a reliable one-stop solution to document needs. The versatile A3 MFPs can print and copy in black and white, and scan in colour. To enhance productivity, multipage sets are produced at a brisk 27 pages per minute. And, to streamline operation, there are shortcuts to advanced features, such as ID card copying and scan to email.

Simply more productive

- iOS and Android support
- Fast 27 ppm print speed
- 50 sheet ARDF (M 2701)
- 1,600 sheet max capacity



To simplify the print environment, AirPrint and Mopria are supported as standard. Confidential documents can be password protected and locked pending release. Double sided printing is a given and with up to three 500 sheet paper trays and a multi sheet bypass on line, a variety of paper can be held ready for use. The M 2701 is equipped with an ARDF that automates scanning and copying. Improving the information flow, documents can be scanned in colour and forwarded directly to email.

Easy to set up and maintain

- User installable MFP
- User replaceable Photo Conductor Unit
- Multiple language support
- High yield toner

Designed to perform robustly in the most demanding of business environments, the M 2700 and M 2701 require minimal maintenance. The MFPs support multiple languages, including Arabic. And, boasting pre-set developer and replaceable photo conductor units, they can be installed and maintained easily by users. With their smart energy saving features and high yield toner also helping to reduce running costs, the M 2700 and M 2701 offer reliable performance at a low total cost of ownership.



RICOH M 2700/M 2701

MAIN SPECIFICATIONS

M 2700 M 2701





Warm-up time	19 seconds	
First copy speed: B/W	6.5 seconds	
Continuous output speed	27 pp	om
Memory: standard	512 N	ИВ
Memory: maximum	512 MB	
Weight	34 kg	39 kg
Dimensions: W x D x H	587 x 581 x 560 mm	587 x 581 x 639 mm
Power source	220 - 240 V, 50 - 60 Hz	
Laser classification	Class 1 Laser Product (IEC60825 - 1:2014)	

COPIER

GENERAL

Multiple copying Up to 999 copies Resolution 600 x 600 dpi From 25% to 400% Zoom

PRINTER

Electro-photographic printing Printing process Printer language GDI Network interface: standard Ethernet 10 base-T/100 base-TX/1000 base-T USB2.0 Type B Network interface: option Wireless LAN (IEEE 802.11 a/b/g/n/ac) Mobile printing capability Apple AirPrint, Mopria® Network protocol TCP/IP (IP v4, IP v6) Windows® environments Windows® 7, Windows® 8, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2012, Windows® Server 2016

SCANNER

Scanning: B/W 18 ipm Scanning: full colour 6 ipm Resolution: maximum 600 dpi Bundled drivers Network TWAIN

PAPER HANDLING

Recommended paper size Bypass tray (Custom Size paper), Duplex tray Paper input: standard 500 sheets 1,600 sheets Paper input: maximum Paper output: standard 250 sheets Paper weight Trays52 - 105 g/m² Bypass52 - 216 g/m²

ECOLOGY

Power consumption: max. < 1,550 W

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

1x 500-sheet paper tray, 2x 500-sheet paper tray

CONSUMABLES

6% coverage on A4

Toner (regular yield) 4,000 prints Toner (high yield) prints Consumable yield based on 2p/j

> COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh Europe (Netherlands) B.V.

John M. Keynesplein 10-B 1066 EP Amsterdam The Netherlands



+31 (0)20 5774111



icoh-europe.com

